

AUTHOR INDEX

| | PAGE |
|--|------|
| Alexander, J. B., The mass-luminosity relationship of the Hyades and other stars | 11P |
| Bell, R. A., The reddening, distance modulus, chemical composition and age of galactic cluster NGC 752 | 147 |
| Blackwell, D. E. and Collins, B. S., Precision measurement of relative oscillator strengths— I. Fundamental technique: A first application to Mn I | 255 |
| Blake, G. M. and Fanaroff, B. L., Observations of radio sources with flat spectra | 41 |
| Brocklehurst, M., The line spectra of helium in gaseous nebulae | 211 |
| Brocklehurst, M. and Seaton, M. J., On the interpretation of radio recombination line observations | 179 |
| Collins, B. S. and Blackwell, D. E., Precision measurement of relative oscillator strengths— I. Fundamental technique: A first application to Mn I | 255 |
| Conway, R. G., Gilbert, J. A., Kronberg, P. P. and Strom, R. G., Polarization of radio sources at λ 49 cm and λ 73 cm | 443 |
| Davies, R. D., Wilson, A. J. Ellder, J., The variability of the OH source W ₃ | 21P |
| Dickens, R. J., The colour-magnitude diagram of the globular cluster NGC 6981 | 281 |
| Dickens, R. J., The colour-magnitude diagram of the globular cluster NGC 7099 | 299 |
| Fanaroff, B. L. and Blake, G. M., Observations of radio sources with flat spectra | 41 |
| Gilbert, J. A. (see Conway, R. G.) | |
| Hawarden, T. and Stobie, R. S., The beat period of AX Velorum | 157 |
| Hill, I. E., Observations of the supernova IC 443 at 1.42 GHz | 419 |
| Hunstead, R. W., Accurate positions of radio sources at 408 MHz | 367 |
| Hunt, R. and Sciamia, D. W., Soft X-ray emission from intergalactic gas in the neighbourhood of the Galaxy | 335 |
| Hunter, James H., The influence of local conditions in the interstellar medium upon star formation | 17P |
| Kalnajs, A. J. and Lynden-Bell, D., On the generating mechanism of spiral structure | 1 |
| Kiang, T., The past orbit of Halley's comet (<i>Summary of Memoirs</i> , 76, Part 2) | 477 |
| Kronberg, P. P. (see Conway, R. G.) | |
| Larson, Richard B., The evolution of spherical protostars with masses 0.25 M_{\odot} to 10 M_{\odot} | 121 |
| Leibowitz, Elia M., The emission spectrum of the ion C IV in planetary nebulae | 97 |
| Leibowitz, Elia M., Polarization of C IV emission lines in planetary nebulae | 115 |
| Lynden-Bell, D. and Kalnajs, A. J., On the generating mechanism of spiral structure | 1 |
| Lyne, A. G. and Smith, F. G., Improved data for four pulsars | 15P |
| McCrea, W. H., Relativistic beaming | 359 |
| Mallia, E. A. and Petford, A. D., Some observations relating to umbral dots | 73 |
| Martin, A. H. M., High resolution observations of W ₅₁ | 31 |
| Milogradov-Turin, Jelena, The extension of Loop III into Southern Latitude | 1P |
| Moss, D. L., Angular momentum loss from contact binary systems | 433 |
| Murdin, Paul, Photoelectric measurements of the 6284Å diffuse interstellar line | 461 |
| Murray, C. A. and Sanduleak, N., Kinematics of faint M stars near the north galactic pole, and the mass density in the solar neighbourhood | 273 |
| Petford, A. D. and Mallia, E. A., Some observations relating to umbral dots | 73 |
| Riley, J. M., Observations of 3C 272.1 at 2.7 and 5.0 GHz | 349 |
| Robinson, Edward L. and Warner, Brian, Observations of rapid blue variables—VI. Scorpii X—1 | 85 |
| Rogers, A. W., The surface parameters and composition of some high velocity A stars | 171 |
| Sanduleak, N. and Murray, C. A., Kinematics of faint M stars near the north galactic pole, and the mass density in the solar neighbourhood | 273 |
| Sciamia, D. W. and Hunt, R., Soft X-ray emission from intergalactic gas in the neighbourhood of the Galaxy | 335 |
| Seaton, M. J. and Brocklehurst, M., On the interpretation of radio recombination line observations | 179 |
| Shobbrook, R. R., Two new Beta Canis Majoris variables: ϵ Cen and δ Lup | 5P |
| Smith, F. G. and Lyne, A. G., Improved data for four pulsars | 15P |
| Stobie, R. S., The beat period of Y Carinae | 167 |
| Stobie, R. S. and Hawarden, T., The beat period of AX Velorum | 157 |
| Strom, R. G. (see Conway, R. G.) | |
| Warner, Brian and Robinson, Edward L., Observations of rapid blue variables—VI. Scorpii X—1 | 85 |
| Williamson, Ian P., Pulse broadening due to multiple scattering in the interstellar medium | 55 |
| Wilson, Andrew S., The structure of the Crab Nebula at 2.7 and 5 GHz—I. The observations | 229 |
| Wright, Alan E., Computational models of gravitationally interacting galaxies | 309 |
| Wynne, C. G., Five spectrograph camera designs... .. | 403 |

AUTHOR INDEX

| | PAGE |
|---|------|
| Alexander, J. B., The mass-luminosity relationship of the Hyades and other stars ... | 11P |
| Bell, R. A., The reddening, distance modulus, chemical composition and age of galactic cluster NGC 752 ... | 147 |
| Blackwell, D. E. and Collins, B. S., Precision measurement of relative oscillator strengths— I. Fundamental technique: A first application to Mn I ... | 255 |
| Blake, G. M. and Fanaroff, B. L., Observations of radio sources with flat spectra ... | 41 |
| Brocklehurst, M., The line spectra of helium in gaseous nebulae ... | 211 |
| Brocklehurst, M. and Seaton, M. J., On the interpretation of radio recombination line observations ... | 179 |
| Collins, B. S. and Blackwell, D. E., Precision measurement of relative oscillator strengths— I. Fundamental technique: A first application to Mn I ... | 255 |
| Conway, R. G., Gilbert, J. A., Kronberg, P. P. and Strom, R. G., Polarization of radio sources at λ 49 cm and λ 73 cm ... | 443 |
| Davies, R. D., Wilson, A. J. Ellder, J., The variability of the OH source W ₃ ... | 21P |
| Dickens, R. J., The colour-magnitude diagram of the globular cluster NGC 6981 ... | 281 |
| Dickens, R. J., The colour-magnitude diagram of the globular cluster NGC 7099 ... | 299 |
| Fanaroff, B. L. and Blake, G. M., Observations of radio sources with flat spectra ... | 41 |
| Gilbert, J. A. (see Conway, R. G.) | |
| Hawarden, T. and Stobie, R. S., The beat period of AX Velorum ... | 157 |
| Hill, I. E., Observations of the supernova IC 443 at 1.42 GHz ... | 419 |
| Hunstead, R. W., Accurate positions of radio sources at 408 MHz ... | 367 |
| Hunt, R. and Sciamia, D. W., Soft X-ray emission from intergalactic gas in the neighbourhood of the Galaxy ... | 335 |
| Hunter, James H., The influence of local conditions in the interstellar medium upon star formation ... | 17P |
| Kalnajs, A. J. and Lynden-Bell, D., On the generating mechanism of spiral structure ... | 1 |
| Kiang, T., The past orbit of Halley's comet (<i>Summary of Memoirs</i> , 76, Part 2) ... | 477 |
| Kronberg, P. P. (see Conway, R. G.) | |
| Larson, Richard B., The evolution of spherical protostars with masses 0.25 M_{\odot} to 10 M_{\odot} ... | 121 |
| Leibowitz, Elia M., The emission spectrum of the ion C IV in planetary nebulae ... | 97 |
| Leibowitz, Elia M., Polarization of C IV emission lines in planetary nebulae ... | 115 |
| Lynden-Bell, D. and Kalnajs, A. J., On the generating mechanism of spiral structure ... | 1 |
| Lyne, A. G. and Smith, F. G., Improved data for four pulsars ... | 15P |
| McCrea, W. H., Relativistic beaming ... | 359 |
| Mallia, E. A. and Petford, A. D., Some observations relating to umbral dots ... | 73 |
| Martin, A. H. M., High resolution observations of W ₅₁ ... | 31 |
| Milogradov-Turin, Jelena, The extension of Loop III into Southern Latitude ... | 1P |
| Moss, D. L., Angular momentum loss from contact binary systems ... | 433 |
| Murdin, Paul, Photoelectric measurements of the 6284Å diffuse interstellar line ... | 461 |
| Murray, C. A. and Sanduleak, N., Kinematics of faint M stars near the north galactic pole, and the mass density in the solar neighbourhood ... | 273 |
| Petford, A. D. and Mallia, E. A., Some observations relating to umbral dots ... | 73 |
| Riley, J. M., Observations of 3C 272.1 at 2.7 and 5.0 GHz ... | 349 |
| Robinson, Edward L. and Warner, Brian, Observations of rapid blue variables—VI. Scorpii X—1 ... | 85 |
| Rogers, A. W., The surface parameters and composition of some high velocity A stars ... | 171 |
| Sanduleak, N. and Murray, C. A., Kinematics of faint M stars near the north galactic pole, and the mass density in the solar neighbourhood ... | 273 |
| Sciamia, D. W. and Hunt, R., Soft X-ray emission from intergalactic gas in the neighbourhood of the Galaxy ... | 335 |
| Seaton, M. J. and Brocklehurst, M., On the interpretation of radio recombination line observations ... | 179 |
| Shobbrook, R. R., Two new Beta Canis Majoris variables: ϵ Cen and δ Lup ... | 5P |
| Smith, F. G. and Lyne, A. G., Improved data for four pulsars ... | 15P |
| Stobie, R. S., The beat period of Y Carinae ... | 167 |
| Stobie, R. S. and Hawarden, T., The beat period of AX Velorum ... | 157 |
| Strom, R. G. (see Conway, R. G.) | |
| Warner, Brian and Robinson, Edward L., Observations of rapid blue variables—VI. Scorpii X—1 ... | 85 |
| Williamson, Ian P., Pulse broadening due to multiple scattering in the interstellar medium ... | 55 |
| Wilson, Andrew S., The structure of the Crab Nebula at 2.7 and 5 GHz—I. The observations ... | 229 |
| Wright, Alan E., Computational models of gravitationally interacting galaxies ... | 309 |
| Wynne, C. G., Five spectrograph camera designs... ... | 403 |

SUBJECT INDEX

| | PAGE |
|---|------|
| Celestial Mechanics | |
| Kinematics of faint M stars near the north galactic pole, and the mass density in the solar neighbourhood, <i>C. A. Murray and N. Sanduleak</i> | 273 |
| Computational models of gravitationally interacting galaxies, <i>A. E. Wright</i> | 309 |
| The past orbit of Halley's comet, <i>T. Kiang, (Summary of Memoirs, 76, Part 2)</i> | 477 |
| Galactic structure and stellar dynamics | |
| On the generating mechanism of spiral structure, <i>D. Lynden-Bell and A. J. Kalnajs</i> | 1 |
| Kinematics of faint M stars near the north galactic pole, and the mass density in the solar neighbourhood, <i>C. A. Murray and N. Sanduleak</i> | 273 |
| Galaxies | |
| Computational models of gravitationally interacting galaxies, <i>A. E. Wright</i> | 309 |
| Instrumentation | |
| Precision measurement of relative oscillator strengths—I. Fundamental technique: A first application to Mn I, <i>D. E. Blackwell and B. S. Collins</i> | 255 |
| Five spectrograph camera designs, <i>C. G. Wynne</i> | 403 |
| Interstellar medium | |
| Pulse broadening due to multiple scattering in the interstellar medium, <i>I. P. Williamson</i> | 55 |
| Photoelectric measurements of the 6284 Å diffuse interstellar line, <i>P. Murdin</i> | 461 |
| The influence of local conditions in the interstellar medium upon star formation, <i>James N. Hunter</i> | 17P |
| Nebulae—gaseous | |
| High resolution observations of W51, <i>A. H. M. Martin</i> | 31 |
| On the interpretation of radio recombination line observations, <i>M. Brocklehurst and M. J. Seaton</i> | 179 |
| The line spectra of helium in gaseous nebulae, <i>M. Brocklehurst</i> | 211 |
| The structure of the Crab Nebula at 2.7 and 5 GHz—I. The observations, <i>A. S. Wilson</i> | 229 |
| Observations of the supernova remnant IC443 at 1.42 GHz, <i>I. E. Hill</i> | 419 |
| The variability of the OH source W3, <i>A. J. Wilson, R. D. Davies and J. Elldër</i> | 21P |
| Nebulae—planetary | |
| The emission spectrum of the ion C IV in planetary nebulae, <i>E. M. Leibowitz</i> | 97 |
| Polarization of C IV emission lines in planetary nebulae, <i>E. M. Leibowitz</i> | 115 |
| Physical processes | |
| On the generating mechanism of spiral structure, <i>D. Lynden-Bell and A. J. Kalnajs</i> | 1 |
| Pulse broadening due to multiple scattering in the interstellar medium, <i>I. P. Williamson</i> | 55 |
| Computational models of gravitationally interacting galaxies, <i>A. E. Wright</i> | 309 |
| Soft X-ray emission from intergalactic gas in the neighbourhood of the Galaxy, <i>R. Hunt and D. W. Sciama</i> | 335 |
| Relativistic beaming, <i>W. H. McCrea</i> | 359 |
| Angular momentum loss from contact binary systems, <i>D. L. Moss</i> | 433 |
| Pulsars | |
| Pulse broadening due to multiple scattering in the interstellar medium, <i>I. P. Williamson</i> | 55 |
| Relativistic beaming, <i>W. H. McCrea</i> | 359 |
| Improved data for four pulsars, <i>A. G. Lyne and F. G. Smith</i> | 15P |
| Radio astronomy | |
| High resolution observations of W51, <i>A. H. M. Martin</i> | 31 |
| Observations of radio sources with flat spectra, <i>B. L. Fanaroff and G. M. Blake</i> | 41 |
| Pulse broadening due to multiple scattering in the interstellar medium, <i>I. P. Williamson</i> | 55 |
| On the interpretation of radio recombination line observations, <i>M. Brocklehurst and M. J. Seaton</i> | 179 |
| The structure of the Crab Nebula at 2.7 and 5 GHz—I. The observations, <i>A. S. Wilson</i> | 229 |
| Observations of 3C 272.1 at 2.7 and 5.0 GHz, <i>J. M. Riley</i> | 349 |
| Accurate positions of radio sources at 408 MHz, <i>R. W. Hunstead</i> | 367 |
| Observations of the supernova remnant IC443 at 1.42 GHz, <i>I. E. Hill</i> | 419 |
| Polarization of radio sources at λ 49 cm and λ 73 cm, <i>R. G. Conway, J. A. Gilbert, P. P. Kronberg and R. G. Strom</i> | 443 |

| | PAGE |
|---|------|
| The extension of Loop III into southern latitude, <i>J. Milogradov-Turin</i> | 1P |
| Improved data for four pulsars, <i>A. G. Lyne and F. G. Smith</i> | 15P |
| The variability of the OH source W ₃ , <i>A. J. Wilson, R. D. Davis and J. Ellder</i> | 21P |
| Spectroscopy | |
| The emission spectrum of the ion C IV in planetary nebulae, <i>E. M. Leibowitz</i> | 97 |
| On the interpretation of radio recombination line observations, <i>M. Brocklehurst and M. J. Seaton</i> | 179 |
| The line spectra of helium in gaseous nebulae, <i>M. Brocklehurst</i> | 211 |
| Precision measurement of relative oscillator strengths—I. Fundamental technique: A first application to Mn I, <i>D. E. Blackwell and B. S. Collins</i> | 255 |
| Five spectrograph camera designs, <i>C. G. Wynne</i> | 403 |
| Star clusters | |
| The reddening, distance modulus, chemical composition and age of the galactic cluster NGC 752, <i>R. A. Bell</i> | 147 |
| The colour-magnitude diagram of the globular cluster NGC 6981, <i>R. J. Dickens</i> | 281 |
| The colour-magnitude diagram of the globular cluster NGC 7099, <i>R. J. Dickens</i> | 299 |
| The mass-luminosity relationship of the Hyades and other stars, <i>J. B. Alexander</i> | 11P |
| Stars—atmospheres of | |
| The surface parameters and composition of some high velocity stars, <i>A. W. Rodgers</i> | 171 |
| Stars—binary | |
| Angular momentum loss from contact binary systems, <i>D. L. Moss</i> | 433 |
| Stars—chemical composition | |
| The reddening, distance modulus, chemical composition and age of the galactic cluster NGC 752, <i>R. A. Bell</i> | 147 |
| The surface parameters and composition of some high velocity A stars, <i>A. W. Rodgers</i> | 171 |
| Stars—photometry of | |
| The colour-magnitude diagram of the globular cluster NGC 6981, <i>R. J. Dickens</i> | 281 |
| The colour-magnitude diagram of the globular cluster NGC 7099, <i>R. J. Dickens</i> | 299 |
| The mass-luminosity relationship of the Hyades and other stars, <i>J. B. Alexander</i> | 11P |
| Stars—structure and evolution of | |
| The evolution of spherical protostars with masses 0.25 M_{\odot} to 10 M_{\odot} , <i>R. B. Larson</i> | 121 |
| The influence of local conditions in the interstellar medium, <i>James N. Hunter</i> | 17P |
| Stars—variable | |
| Observations of rapid blue variables—VI. Scorpii X-1, <i>E. L. Robinson and B. Warner</i> | 85 |
| The beat period of AX Velorum, <i>R. S. Stobie and T. Hawarden</i> | 157 |
| The beat period of Y Carinae, <i>R. S. Stobie</i> | 167 |
| Two new Beta Canis Majoris variables: ϵ Cen and δ Lup, <i>R. R. Shobbrook</i> | 5P |
| Sun | |
| Some observations relating to umbral dots, <i>E. A. Mallia and A. D. Petford</i> | 73 |
| X-ray astronomy | |
| Soft X-ray emission from intergalactic gas in the neighbourhood of the Galaxy, <i>R. Hunt and D. W. Sciama</i> | 335 |

